## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

| NOV 2 8 1988 *  Date of filing in State Engineer's Office  |
|--|
| Returned to applicant for correction   |
| Corrected application filed  |
| Map filed  |
| The applicant LAS VEGAS VALLEY WATER DISTRICT, a Quasi-Municipal Corporation  3700 West Charleston Boulevard of Las Vegas  Street and No. or P.O. Box No.  City or Town  |
| Nevada 89153 , hereby makes application for permission to appropriate the public   |
| waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a   |
| copartnership or association, give names of members.) Established by Chapter 167, Statutes   |
| of Nevada, 1947, and any amendments thereafter.  |
|  |
| 1. The source of the proposed appropriation is <u>underground - Ivanpah Valley Ground-water Basin</u> Name of stream, lake, spring, underground or other source  |
| 2. The amount of water applied for is 0.187 cfs (135.404 acre feet per annum) second-feet  One second-foot equals 448.83 gals, per min.  |
| (a) If stored in reservoir give number of acre-feet.   |
| 3. The water to be used for <u>quasi-municipal and domestic</u> Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.   |
| 4. If use is for:  |
| (a) Irrigation, state number of acres to be irrigated  |
| (b) Stockwater, state number and kinds of animals to be watered  |
| (c) Other use (describe fully under "No. 12. Remarks")   |
| (d) Power:   |
| (1) Horsepower developed   |
| (2) Point of return of water to stream   |
| 5. The water is to be diverted from its source at the following point Within the NW & SE & Section 9.  Describe as being within a 40-acre subdivision of public  |
| T. 25 S., R. 59 E., M.D.B.&M., at a point from which the SE corner of Section survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.   |
| 11, T. 25 S., R. 59 E., M.D.B.&M., bears S. 81°44'19" E., a distance of 12,359.50 feet, map filed on November 9, 1987, under Permit No. 51133, Item "A".   |
| 6. Place of use Within Sections 2. 3. 9. 10. 11. 12. 13. 14. 23 and 24. T. 25. S., R. 59E. M.D.B.&M., and those portions of Sections 7, 18 and 19, T. 25 S., R. 60 E., M.D.B.&M., all located within the area designated as the Ivanpah Valley Ground  |
| water Basin in Clark County, Nevada by Order No. 792 of the Office of The State Engineer, dated August 9, 1982, all located within the boundaries of the Las Vegas Valley Water District as denoted by Chapter 167, Statutes of Nevada, 1947, as it now exists or as it may be amended. Place of use map filed November 9, 1987, under Permit No. 51133. |
| 7. Use will begin about January 1 and end about December 31 of each year.  Month and Day   |
| 8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and   |
| specifications of your diversion or storage works.)  N/A existing State manner in which water is to be diverted, i.e. diversion structure, ditches and   |
| flumes, drilled well with pump and motor, etc.  9. Estimated cost of works  N/A existing   |

| 10. Estimated time required to construct works Water is to be diverted cased well approximately 1,300 feet deep known as the "General deep well pump, pipelines, reservoirs and dist  | old Strike Well" via an  |
|---|--|
| 11. Estimated time required to complete the application of water to beneficial use with existing water rights provides for projected demand   | Quantity applied for combined ls to the year 2000.   |
| 12. Remarks: For use other than irrigation or stock watering, state number and ty consumptive use.  | <del>-</del>   |
| This Application combined with the water rights already   | existing on the "Gold  |
| Strike Well" and with the existing water rights on the "  | State Well" located in   |
| the SE 1/4 NE 1/4 of Section 10, T. 25 S., R. 59 E., M.D.B.&  | M., provide for the  |
| 3700 We   | '. Walter '. Walter, P.E., N.S.W.R.S. No. est Charleston Boulevard   |
| Compared kh/se ab/se Las Veg  | as, Nevada 89153   |
| Protested   |  |
| APPROVAL OF STATE ENGIN   | NEER   |
| This permit is issued subject to existing rights. I amount of water herein granted is only a temporary allowance  | and that the final water   |
| <del>-</del>  | and that the final water amount of water actually is right must allow for a shall be equipped with a well is flowing, a valve totalizing meter must be ne point of diversion and cial use. The totalizing s, or before the Proof of an area designated by the the right to regulate the of ingress and egress on mirements that the permit encies.   |
| amount of water herein granted is only a temporary allowance right obtained under this permit will be dependent upon the placed to beneficial use. It is also understood that this reasonable lowering of the static water level. This well two (2) inch opening for measuring depth to water. If the must be installed and maintained to prevent waste. A installed and maintained in the discharge pipeline near the accurate measurements must be kept of water placed to benefice meter must be installed before any use of water begins Completion of Work is filed. This source is located within a State Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times.  This permit does not extend the permittee the right public, private or corporate lands.  The issuance of this permit does not waive the required obtain other permits from State, Federal and local ages (CONTINUED ON PAGE 2)   | and that the final water amount of water actually is right must allow for a shall be equipped with a well is flowing, a valve totalizing meter must be ne point of diversion and vial use. The totalizing s, or before the Proof of an area designated by the the right to regulate the of ingress and egress on mirements that the permit encies.   |
| amount of water herein granted is only a temporary allowance right obtained under this permit will be dependent upon the placed to beneficial use. It is also understood that this reasonable lowering of the static water level. This well two (2) inch opening for measuring depth to water. If the must be installed and maintained to prevent waste. A installed and maintained in the discharge pipeline near the accurate measurements must be kept of water placed to benefice meter must be installed before any use of water begins Completion of Work is filed. This source is located within a State Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times.  This permit does not extend the permittee the right public, private or corporate lands.  The issuance of this permit does not waive the required holder obtain other permits from State, Federal and local age (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be a exceed.  0.187  cubic feet per second.  | and that the final water amount of water actually is right must allow for a shall be equipped with a well is flowing, a valve totalizing meter must be ne point of diversion and cial use. The totalizing s, or before the Proof of an area designated by the che right to regulate the of ingress and egress on mirements that the permit encies.  Applied to beneficial use, and not to out to exceed 135.404  |
| amount of water herein granted is only a temporary allowance right obtained under this permit will be dependent upon the placed to beneficial use. It is also understood that thi reasonable lowering of the static water level. This well two (2) inch opening for measuring depth to water. If the must be installed and maintained to prevent waste. A installed and maintained in the discharge pipeline near th accurate measurements must be kept of water placed to benefic meter must be installed before any use of water begins Completion of Work is filed. This source is located within a State Engineer, pursuant to NRS 534.030. The State retains t use of the water herein granted at any and all times.  This permit does not extend the permittee the right public, private or corporate lands.  The issuance of this permit does not waive the requipeled obtain other permits from State, Federal and local age (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be a exceed.  0.187  cubic feet per second. but no acce-feet annually.  | and that the final water amount of water actually is right must allow for a shall be equipped with a well is flowing, a valve totalizing meter must be ne point of diversion and cial use. The totalizing s, or before the Proof of an area designated by the the right to regulate the of ingress and egress on airements that the permit encies.  Applied to beneficial use, and not to out to exceed 135.404  |
| amount of water herein granted is only a temporary allowance right obtained under this permit will be dependent upon the placed to beneficial use. It is also understood that thi reasonable lowering of the static water level. This well two (2) inch opening for measuring depth to water. If the must be installed and maintained to prevent waste. A installed and maintained in the discharge pipeline near the accurate measurements must be kept of water placed to benefice meter must be installed before any use of water begins Completion of Work is filed. This source is located within a State Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times.  This permit does not extend the permittee the right public, private or corporate lands.  The issuance of this permit does not waive the requinolder obtain other permits from State, Federal and local age (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be a exceed.  0.187  cubic feet per second., but no acce-feet annually.  Work must be prosecuted with reasonable diligence and be completed on or before  | and that the final water amount of water actually as right must allow for a shall be equipped with a well is flowing, a valve totalizing meter must be ne point of diversion and vial use. The totalizing s, or before the Proof of an area designated by the the right to regulate the of ingress and egress on mirements that the permit encies.  Applied to beneficial use, and not to ot to exceed 135.404   |
| amount of water herein granted is only a temporary allowance right obtained under this permit will be dependent upon the placed to beneficial use. It is also understood that this reasonable lowering of the static water level. This well two (2) inch opening for measuring depth to water. If the must be installed and maintained to prevent waste. A installed and maintained in the discharge pipeline near the accurate measurements must be kept of water placed to benefice meter must be installed before any use of water begins Completion of Work is filed. This source is located within a State Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times.  This permit does not extend the permittee the right public, private or corporate lands.  The issuance of this permit does not waive the required holder obtain other permits from State, Federal and local age (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be a exceed.  0.187  cubic feet per second., but no acce-feet annually.  Work must be prosecuted with reasonable diligence and be completed on or before   | and that the final water amount of water actually is right must allow for a shall be equipped with a well is flowing, a valve totalizing meter must be ne point of diversion and vial use. The totalizing s, or before the Proof of an area designated by the che right to regulate the of ingress and egress on mirements that the permit encies.  Applied to beneficial use, and not to out to exceed 135.404  March 7, 1994  April 7, 1994                |
| amount of water herein granted is only a temporary allowance right obtained under this permit will be dependent upon the placed to beneficial use. It is also understood that thi reasonable lowering of the static water level. This well two (2) inch opening for measuring depth to water. If the must be installed and maintained to prevent waste. A installed and maintained in the discharge pipeline near the accurate measurements must be kept of water placed to benefice meter must be installed before any use of water begins Completion of Work is filed. This source is located within a State Engineer, pursuant to NRS 534.030. The State retains to use of the water herein granted at any and all times.  This permit does not extend the permittee the right public, private or corporate lands.  The issuance of this permit does not waive the requipeled obtain other permits from State, Federal and local age (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be a exceed.  0.187  cubic feet per second. but no acce-feet annually.  Work must be prosecuted with reasonable diligence and be completed on or before  | and that the final water amount of water actually as right must allow for a shall be equipped with a well is flowing, a valve totalizing meter must be ne point of diversion and cial use. The totalizing s, or before the Proof of an area designated by the che right to regulate the of ingress and egress on mirements that the permit encies.  Applied to beneficial use, and not to out to exceed 135.404  March 7, 1994  April 7, 1994  March 7, 1995 |
| amount of water herein granted is only a temporary allowance right obtained under this permit will be dependent upon the placed to beneficial use. It is also understood that this reasonable lowering of the static water level. This well two (2) inch opening for measuring depth to water. If the must be installed and maintained to prevent waste. A installed and maintained in the discharge pipeline near the accurate measurements must be kept of water placed to benefice meter must be installed before any use of water begins Completion of Work is filed. This source is located within a State Engineer, pursuant to NRS 534.030. The State retains the use of the water herein granted at any and all times.  This permit does not extend the permittee the right public, private or corporate lands.  The issuance of this permit does not waive the requipolater obtain other permits from State, Federal and local age (CONTINUED ON PAGE 2)  The amount of water to be appropriated shall be limited to the amount which can be a exceed.  0.187  cubic feet per second. but not accrefeet annually.  Work must be prosecuted with reasonable diligence and be completed on or before  Proof of completion of work shall be filed on or before  Application of water to beneficial use shall be made on or before | and that the final water amount of water actually as right must allow for a shall be equipped with a well is flowing, a valve totalizing meter must be ne point of diversion and cial use. The totalizing s, or before the Proof of an area designated by the che right to regulate the of ingress and egress on mirements that the permit encies.  applied to beneficial use, and not to out to exceed 135.404  March 7, 1994  March 7, 1995  April 7, 1995 |

State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 27th day of .....

A.D. 19....93

(O)-5314 (Rev.)

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued

Page 2 52736

## (PERMIT TERMS CONTINUED)

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

The total consumptive use of Permit 17691, Certificate 6058; Permit 21997, Certificate 8278; and Permits 51133, 51543, 51544, 52732, 52733, 52734, 52735 and 52736 shall not exceed 653.4 acre-feet annually. In determining the permitted annual withdrawal of water allowed under these permits, credit for recharge back into the groundwater basin will be given based on data supplied to the State Engineer by the permittee.

The permittee shall submit to the State Engineer, within 120 days of the issuance of this permit, a monitoring plan which provides sufficient information to determine the amount of water being recharged to the groundwater basin by the permittee. Once the monitoring plan is approved by the State Engineer, the permittee must submit an annual report by January 15 of each year of the data generated by the monitoring program and an analysis of the amount of water the permittee has recharged to the groundwater basin. Upon review of the report by the State Engineer, the amount of water credited from the recharge program will be determined along with the maximum allowable withdrawal of water under these permits. The maximum amount to be credited will not exceed 90% of the amount recharged. Based on a preliminary analysis of the recharge system, the total withdrawal is initially limited to 818.2 acre-feet annually.